



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

Cordova Safety Products

Personal Protective Equipment

❖ Head Protection



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

Cordova Safety Products

Head Protection:

Product #	Series	Description	Color
H24S	Duo Safety™	Hard hat; 4-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	White
H24S2	Duo Safety™	Hard hat; 4-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
H24S3	Duo Safety™	Hard hat; 4-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Orange
H24S4	Duo Safety™	Hard hat; 4-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Red
H24S5	Duo Safety™	Hard hat; 4-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Blue
H24S9	Duo Safety™	Hard hat; 4-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Forest green
H24R1	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	White
H24R2	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
H24R3	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Orange
H24R4	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Red
H24R5	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Blue
H24R6	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Hi-vis green
H24R7	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Black



Bristol Tape Corporation

An ISO 9001:2015 Certified Company

H24R8	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Hi-vis orange
H24R9	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Forest green
H24R10	Duo Safety™	Hard hat; 4-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Dove gray
H26S1	Duo Safety™	Hard hat; 6-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	White
H26S2	Duo Safety™	Hard hat; 6-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
H26S3	Duo Safety™	Hard hat; 6-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Orange
H26S4	Duo Safety™	Hard hat; 6-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Red
H26S5	Duo Safety™	Hard hat; 6-point pinlock suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Blue
H26R1	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	White
H26R2	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
H26R3	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Orange
H26R4	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Red
H26R5	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Blue
H26R6	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Hi-vis green
H26R7	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Black
H26R8	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Hi-vis orange
H26R9	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment; log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	Forest green
H26R10	Duo Safety™	Hard hat; 6-point ratchet suspension; cushioned brow pad; vertical height adjustment;	Dove gray



Bristol Tape Corporation

An ISO 9001:2015 Certified Company

		log imprinting available; full brim models available; ANSI/ISEA Z89.1-2014, Class E & G	
H34S1	Duo Safety™	Hard hat; 4-point pinlock suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	White
HS34S2	Duo Safety™	Hard hat; 4-point pinlock suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
HS34R1	Duo Safety™	Hard hat; 4-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	White
H34R2	Duo Safety™	Hard hat; 4-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
H34R3	Duo Safety™	Hard hat; 4-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Orange
H34R4	Duo Safety™	Hard hat; 4-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Red
H34R5	Duo Safety™	Hard hat; 4-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Blue
H34R6	Duo Safety™	Hard hat; 4-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Hi-vis green
H34R9	Duo Safety™	Hard hat; 4-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Forest green
H36S1	Duo Safety™	Hard hat; 6-point pinlock suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	White
H36S2	Duo Safety™	Hard hat; 6-point pinlock suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
H36R1	Duo Safety™	Hard hat; 6-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA	White



Bristol Tape Corporation

An ISO 9001:2015 Certified Company

		Z89.1-2014, Class E & G	
H36R2	Duo Safety™	Hard hat; 6-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Yellow
H36R6	Duo Safety™	Hard hat; 6-point ratchet suspension; low profile design; cushioned brow pad; vertical height adjustment; logo imprinting available; cap style models available; ANSI/ISEA Z89.1-2014, Class E & G	Hi-vis green
RA4PT	Duo Safety™	Hard hat replacement suspension; 4-point ratchet	
RA6PT	Duo Safety™	Hard hat replacement suspension; 6-point ratchet	
ES42		Adjustable elastic chin strap; fits both cap & full-brim style hard hats	
HBC1		Bump cap; 4-point plastic pinlock suspension; not ANSI approved; low risk environments only	White
HBC2		Bump cap; 4-point plastic pinlock suspension; not ANSI approved; low risk environments only	Yellow
HBC4		Bump cap; 4-point plastic pinlock suspension; not ANSI approved; low risk environments only	Red
HBC5		Bump cap; 4-point plastic pinlock suspension; not ANSI approved; low risk environments only	Blue
HL200		Hard hat liner; standard length; two-layer cotton twill; blue fleece lining; hook & loop suspension secure straps; ear warmer pockets; reflective strip on back; single wash FR treated; one size fits all	
HL250		Hard hat liner; shoulder length; two-layer cotton twill; blue fleece lining; hook & loop suspension secure straps; ear warmer pockets; reflective strip on back; single wash FR treated; one size fits all	
HL100		Hard hat liner; standard length; single layer polar fleece; reflective strip on back; single wash FR treated; one size fits all	
HL300		Hard hat liner; standard length; three-layer quilted polyester; blue fleece foam lining; hook & loop suspension secure straps; ear warmer pockets; reflective strips on back; single wash FR treated; one size fits all	
HL350		Hard hat liner; shoulder length; three-layer quilted polyester; blue fleece foam lining; hook & loop suspension secure straps; ear warmer pockets; reflective strips on back; single wash FR treated; one size fits all	
HL450		Hard hat liner; shoulder length; three-layer quilted polyester; white Sherpa fleece foam lining; hook & loop suspension secure straps; ear warmer pockets; reflective strips on	



Bristol Tape Corporation

An ISO 9001:2015 Certified Company

		back; single wash FR treated; one size fits all	
HL500		Hard hat liner; shoulder length; two-layer cotton twill; blue fleece lining; removable acrylic neck cover; hook & loop suspension secure straps; ear warmer pockets; reflective strips on back; ten wash FR treated; one size fits all	