



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

3M

Reclosable Fasteners

- ❖ Reclosable Fasteners
- ❖ Dual Lock™ Reclosable Fasteners



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

3M

Reclosable Fasteners:

Product #	Description	Material	Adhesive Type	Engaged Thickness (mm)	Max Operating Temp	Color(s)	Flame Retardant
SJ3000	3M™ Hook and Loop Fastener	Polypropylene	Non-adhesive	0.053 (1.3)	200°F	Black	No
SJ3401	3M™ Loop Fastener	Nylon	Non-adhesive	0.15 (3.8)	200°F	Beige, black, cocoa brown, electric blue, emerald green, indigo, lavender, light blue, light tan, maroon, navy blue, olive, orange, pink, purple, red, royal blue, sage green, silver, tan, yellow,	No



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

						white	
SJ3402	3M™ Hook Fastener	Nylon	Non-adhesive	0.15 (3.8)	200°F	Black, red, royal blue, maroon, indigo, cocoa brown, beige, electric blue, lavender, sage green, emerald green, white, navy blue, olive, orange, light blue, pink, light tan, tan, yellow, purple, silver	No
SJ3418FR	3M™ Flame Resistant Loop Fastener	Nylon	Non-adhesive	0.15 (3.8)	220°F	Silver, light gray, black, beige, navy blue, white, slate gray, yellow, royal blue	Yes
SJ3419FR	3M™ Flame Resistant Hook Fastener	Nylon	Non-adhesive	0.15 (3.8)	200°F	Black, navy blue, light gray, silver, white, beige, yellow,	Yes



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

						royal blue, slate gray	
SJ3506	3M™ Hook Fastener	Polypropylene	Acrylic	0.04 (0.9)	158°F	White	No
SJ3507	3M™ Loop Fastener	Polyester	Acrylic	0.034 (0.9_	158°F	White	No
SJ3518FR	3M™ Flame Resistant Loop Fastener	Nylon	Rubber	0.15 (3.8)	120°F	Black, white, beige, navy blue, slate gray	Yes
SJ3519FR	3M™ Flame Resistant Hook Fastener	Nylon	Rubber	0.15 (3.8)	120°F	Black, beige, white, light gray, white, navy blue	Yes
SJ3522	3M™ Plasticizer Resistant Hook Fastener	Nylon	Plasticizer resistant	0.15 (3.8)	158°F	Black, white	No
SJ3523	3M™ Plasticizer Resistant Loop Fastener	Nylon	Plasticizer resistant	0.15 (3.8)	158°F	Black, white	No
SJ3526N	3M™ Hook Fastener	Nylon	Rubber	0.15 (3.8)	120°F	Black, white, beige, slate gray,	No
SJ3527N	3M™ Loop Fastener	Nylon	Rubber	0.15 (3.8)	120°F	Black, white, beige	No
SJ3530	3M™ Hook Fastener	Nylon	Rubber	0.15 (3.8)	90°F	Black, white, beige	No
SJ3531	3M™ Loop Fastener	Nylon	Rubber	0.15 (3.8)	90°F	Black, white, beige	No
SJ3532N	3M™ Hook Fastener	Nylon	Rubber	0.15 (3.8)	100°F	Black, white, beige	No
SJ3533N	3M™ Loop Fastener	Nylon	Rubber	0.15 (3.8)	100°F	Black, white, beige	No
SJ3571	3M™ Loop Fastener	Nylon	Acrylic	0.17 (3.8)	200°F	Black, white, beige	No



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

SJ3572	3M™ Hook Fastener	Nylon	Acrylic	0.15 (3.8)	200°F	Black, white, beige	No
--------	-------------------	-------	---------	------------	-------	---------------------	----

Dual Lock™ Reclosable Fasteners

Product #	Description	Primary Liner	Adhesive Type	Engaged thickness (mm)	Max Operating Temp	Stem Density	Color(s)	Indoor/Outdoor
MP3541/ MP3542	3M™ Dual Lock™ Reclosable Fastener; 5/case	White polyolefin	Rubber	0.23 (5.8)	120°F	170 400	Black	Indoor
MP3551/ MP3552	3M™ Dual Lock™ Reclosable Fastener; 5/case	Clear polyolefin	Acrylic	0.23 (5.8)	200°F	170 400	Black	Both
MP3560	3M™ Dual Lock™ Reclosable Fastener	Clear polyolefin	Acrylic	0.23 (5.8)	220°F	250	Clear	Both
SJ3223	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	(8.51-9.07)	N/A	250	Black	Indoor
SJ3440	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.16 (4.1)	200°F	250	Black	Both
SJ3441	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.16 (4.1)	200°F	400	Black	Both
SJ3442	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.16 (4.1)	200°F	170	Black	Both
SJ3443	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.28 (7)	200°F	400	Black	Both
SJ3444	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.28 (7)	200°F	170	Black	Both
SJ3445	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.28 (7)	200°F	250	Black	Both
SJ3460	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.16 (4.1)	200°F	250	Clear	Both
SJ3461	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.16 (4.1)	200°F	400	Clear	Both
SJ3463	3M™ Dual Lock™ Reclosable Fastener	None	Non adhesive	0.2 (5.1)	200°F	400	Black	Both
SJ3481	3M™ Dual Lock™ Reclosable	None	Non	0.2 (5.1)	200°F	400	Black	Both



Bristol Tape Corporation
An ISO 9001:2015 Certified Company

	Fastener		adhesive					
SJ3540	3M™ Dual Lock™ Reclosable Fastener	White polyolefin	Rubber	0.23 (5.8)	120°F	250	Black	Indoor
SJ3541	3M™ Dual Lock™ Reclosable Fastener	White polyolefin	Rubber	0.23 (5.8)	120°F	400	Black	Indoor
SJ3542	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Rubber	0.23 (5.8)	120°F	170	Black	Indoor
SJ3550	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	200°F	250	Black	Both
SJ3550CF	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	200°F	250	Black	Both
SJ3551	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	200°F	400	White	Both
SJ3551CF	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	200°F	400	Black	Both
SJ3552	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	200°F	170	Black	Both
SJ3558	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	200°F	250	Clear	Both
SJ3560	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	220°F	250	Clear	Both
SJ3561	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	220°F	400	Clear	Both
SJ3562	3M™ Dual Lock™ Reclosable Fastener	Polyolefin	Acrylic	0.23 (5.8)	220°F	170	Clear	Both
SJ3741	3M™ Dual Lock™ Reclosable Fastener; roll good without PSA	None	Non adhesive	3.58-4.14mm	N/A	400	Black	Both
SJ3742	3M™ Dual Lock™ Reclosable Fastener; roll good without PSA	None	Non adhesive	3.58-4.14mm	N/A	170	Black	Both
SJ3751	3M™ Dual Lock™ Reclosable Fastener; roll good with PSA	Polyolefin	PSA	5.46-6.02mm	Wide range	400	Black	Both
SJ3752	3M™ Dual Lock™ Reclosable Fastener; roll good with PSA	Polyolefin	PSA	5.46-6.02mm	Wide range	170	Black	Both